Surname	urname			er Names			
Centre Number				Candida	te Number		
Candidate Signature							

Leave blank

General Certificate of Secondary Education June 2004

SCIENCE DOUBLE AWARD (CO-ORDINATED) 3462/3H HIGHER TIER Paper 3



Tuesday 22 June 2004 9.00 am to 10.30 am



In addition to this paper you will require:
a ruler.
You may use a calculator.

Time allowed: 1 hour 30 minutes

Instructions

- Use blue or black ink or ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want marked.

Information


- The maximum mark for this paper is 90.
- Mark allocations are shown in brackets.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use							
Number	Mark	Number	Mark				
1		7					
2		8					
3		9					
4		10					
5		11					
6		12					
Total (Column	1)	>					
Total (Column 2	2)	>					
TOTAL							
Examiner	's Initials						

G/H132262/S04/3462/3H 6/6/6/6 **3462/3H**

Answer all questions in the spaces provided.

1 The drawing shows the circuit used to investigate how the current through a 5 ohm (Ω) resistor changes as the potential difference (voltage) across the resistor changes.




(a) Draw, in the space below, a circuit diagram of this circuit. Use the correct symbols for each part of the circuit.

(2 marks)

(b)	(i)	Write down the equation that links current, potential difference and resistance.
		(1 mark)
	(ii)	Calculate the potential difference across the 5 ohm (Ω) resistor when the current through the resistor equals 0.4 A. Show clearly how you work out your final answer.
		potential difference =volts (2 marks)

(iii) Complete the graph to show how the current through the resistor changes as the potential difference across the resistor increases from $0\,\mathrm{V}$ to $3\,\mathrm{V}$. Assume the resistor stays at a constant temperature.



(2 marks)

(c)	The resistor is replaced by a 3 V filament lamp. The resistance of the lamp increases as the potential difference across it increases. Why?
	(1 mark)



2 The diagram represents the electromagnetic spectrum.

Gamma rays	X-rays	Ultraviolet	Visible light	Infra red	Microwaves	Radio waves

(a)	Name	e the type of electromagnetic radiation that is used:
	(i)	to sterilise surgical instruments;
		(1 mark)
	(ii)	to send a signal to a TV from a remote control.
		(1 mark)
(b)	Valua radia	able items can be security marked using special ink. The ink can only be seen in ultraviolet tion.




Explain what happens to make the ink visible.	
	•
	(2 marks)

				(2 mar
The f	Collowing information is fr	rom an oven th	at combines a mid	crowave and a grill.
	Voltage		230 V	
	Microw	ave power	0.65 kW	
	Grill po	ower	1.15 kW	
(i)				e oven can use to cook food.
(ii)	A joint of meat is cooked at full power for half an		e microwave and	the grill. Both are switched
	Use the following equation oven. Show clearly how			ferred, in kilowatt-hours, by
	energy	transferred = p	ower × time	



3 The diagram shows the path of a light ray through part of an optical fibre.



	(i)	Give one	practical	use for	ontical	fibres
١.	1 .	OIVC UIIC	practical	usc IOI	Optical	mores.

(1 mark)


(1 mark)

(ii) Explain.	, as fully as	you can.	why the	light ray	stays	inside th	e optical	fibre

 ••••••	••••••	
 •••••••••••	•••••	•••••
•	•••••	•••••

(2 marks)

The diagram drawn from above shows water waves moving towards a gap in a sea wall.



View From Above


(i) Complete the diagram to show what happens to the water waves after they pass through the gap in the sea wall. (1 mark)

1	(i	i)	W	hat	name	ic	given	to	this	effec	119
١	u		,	vv	1141	паше	- 1 >	SIVEII	1()	11115	CIIC	

(1 mark)




4 (a) The diagrams represent three atoms X, Y and Z.



Which two of the atoms are from the same element?	
Give a reason for your answer.	
	(2 marks)

(b) In the early part of the 20th century some scientists investigated the paths taken by positively charged alpha particles into and out of a very thin piece of gold foil. The diagram shows the paths of three alpha particles.



Explain the different paths A, B and C of the alpha particles.

To gain full marks in this question you should write your ideas in good English. a sensible order and use the correct scientific words.	Put them into
	• • • • • • • • • • • • • • • • • • • •
	(2 m anta)

(3 marks)
Turn over



5 (a) The arrows in the diagram represent the size and direction of the forces on a space shuttle, fuel tank and booster rockets one second after launch. The longer the arrow the bigger the force.



Weight of shuttle, fuel tanks and booster rockets plus air resistance


(i) I	Describe the upward motion of the space shuttle one second after launch.
	(1 mark)
` /	By the time it moves out of the Earth's atmosphere, the total weight of the space shuttle, it is tank and booster rockets has decreased and so has the air resistance.
	How does this change the motion of the space shuttle? (Assume the thrust force does not change).
	(1 mark)
(b) The spa	ace shuttle takes 9 minutes to reach its orbital velocity of 8100 m/s.
(i) V	Write down the equation that links acceleration, change in velocity and time taken.
	(1 mark)
` /	Calculate, in m/s ² , the average acceleration of the space shuttle during the first 9 minutes of its flight. Show clearly how you work out your answer.
	average acceleration =m/s ² (2 marks)

	(iii)	How is the velocity of an object different from the speed of an object?	
			•••••
		(1	mark)
(c)	The s	space shuttle can stay in orbit around the Earth for several weeks.	
		Not to scale	
	Expla	lain why the space shuttle stays in orbit and does not fall to the Earth.	
	•••••		•••••
	•••••		•••••
	•••••		•••••
	•••••		marks)
d)	As th	he shuttle returns to Earth, friction causes its outside temperature to go as high as 12	200°C.
	Why	is the underneath of the shuttle covered with black tiles?	
		(1	mark)



TURN OVER FOR THE NEXT QUESTION

 $\bf 6$ (a) A chair lift carries two skiers, Greg and Jill, to the top of a ski slope. Greg weighs 700 N and Jill weighs 500 N.




(i)	Write down the equation that links distance moved, force applied and work done.
	(1 mark)
(ii)	Calculate the work done to lift Greg and Jill through a vertical height of 200 m. Show clearly how you work out your answer and give the unit.
	work done =
	(3 marks)

(b)	The c	chair takes 5 minutes to move from the bottom to the top of the ski slope.
		he following equation to calculate the power required to lift Greg and Jill to the top of the ope. Show clearly how you work out your answer.
		$power = \frac{work done}{time taken}$
	•••••	
	•••••	power =watts (2 marks)
(c)	The o	chair lift is driven by an electric motor.
	(i)	Why would the power output of the electric motor need to be larger than your answer to part (b)?
		(1 mark)
	(ii)	Complete the following sentence.
		When the ski lift is working energy supplied to the motor is
		usefully transferred as gravitational energy. (1 mark)

 $\left(\begin{array}{c} \\ \\ 8 \end{array}\right)$

TURN OVER FOR THE NEXT QUESTION

7 The distance-time graph represents the motion of a car during a race.



(a) Describe the motion of the car between point **A** and point **D**. You should not carry out any calculations.

	To gain full marks in this question you should write your ideas in good English. Put them into a sensible order and use the correct scientific words.
(b)	Calculate the gradient of the graph between point ${\bf B}$ and point ${\bf C}$. Show clearly how you get your answer.




(3 marks)

(ii) How does nuclear fission lead to a chain reaction? You may give your answer as a labelled diagram. (I m Although nuclear fuels are relatively cheap the total cost of generating electricity using nucleus is expensive. Why? (I m (I m) (I				
(ii) How does nuclear fission lead to a chain reaction? You may give your answer as a labelled diagram. (In a second of the se		(i)	Explain what is meant by <i>nuclear fission</i> .	
(ii) How does nuclear fission lead to a chain reaction? You may give your answer as a labelled diagram. (I m. (I m. (I) m. (I) m. (I) m. (C) The table compares the energy released from 1 kg of coal and 1 kg of uranium. (I) m. (I)				
You may give your answer as a labelled diagram. (1 m) Although nuclear fuels are relatively cheap the total cost of generating electricity using nucleus is expensive. Why? (c) The table compares the energy released from 1 kg of coal and 1 kg of uranium. Coal 29 MJ Uranium 580 000 MJ 1 MJ = 1000 000 joules State one benefit to the environment of using a concentrated fuel like uranium to generating				
(ii) How does nuclear fission lead to a chain reaction? You may give your answer as a labelled diagram. (I m) Although nuclear fuels are relatively cheap the total cost of generating electricity using nucleus is expensive. Why? (I m) (I m) (I m) (Coal 29 MJ Uranium 580 000 MJ 1 MJ = 1000 000 joules State one benefit to the environment of using a concentrated fuel like uranium to generating.				(2 m
You may give your answer as a labelled diagram. (1 m) Although nuclear fuels are relatively cheap the total cost of generating electricity using nucleus is expensive. Why? (2 m) (3 m) (4 m) (5 The table compares the energy released from 1 kg of coal and 1 kg of uranium. (6 m) (7 m) (8 m) (9 m) (1 m) (1 m) (1 m) (1 m) (2 m) (3 m) (4 m) (5 m) (6 m) (7 m) (7 m) (8 m) (9 m) (1 m) (1 m) (1 m) (1 m) (2 m) (3 m) (4 m) (5 m) (6 m) (7 m) (7 m) (8 m) (9 m) (1 m) (9 m) (1 m) (1 m) (1 m) (1 m) (2 m) (3 m) (4 m) (5 m) (6 m) (7 m) (7 m) (7 m) (8 m) (9 m) (1 m) (9 m) (1 m) (1 m) (1 m) (1 m) (1 m) (2 m) (3 m) (4 m) (5 m) (6 m) (7 m) (7 m) (7 m) (8 m) (9 m) (1 m) (9 m) (1 m) (1 m) (1 m) (1 m) (2 m) (3 m) (4 m) (5 m) (6 m) (7 m) (7 m) (7 m) (8 m) (9 m) (9 m) (1 m) (1 m) (1 m) (1 m) (1 m) (2 m) (3 m) (4 m) (5 m) (6 m) (7 m) (7 m) (7 m) (8 m) (9 m) (9 m) (1 m) (1 m) (1 m) (1 m) (1 m) (2 m) (3 m) (4 m) (5 m) (6 m) (7 m) (7 m) (7 m) (8 m) (9 m) (9 m) (1 m) (1 m) (1 m) (1 m) (1 m) (2 m) (3 m) (4 m) (4 m) (5 m) (6 m) (7 m) (7 m) (8 m) (9 m) (9 m) (9 m) (1 m) (2 m) (3 m) (4 m) (4 m) (5 m) (6 m) (7 m) (7 m) (7 m) (8 m) (9 m) (9 m) (9 m) (1 m) (2 m) (3 m) (4 m) (4 m) (5 m) (6 m) (7 m) (7 m) (7 m) (8 m) (9 m		(** <u>)</u>		(2 mc
b) Although nuclear fuels are relatively cheap the total cost of generating electricity using nucleus is expensive. Why? (I m)		(11)		
Although nuclear fuels are relatively cheap the total cost of generating electricity using nucleus is expensive. Why? (c) The table compares the energy released from 1 kg of coal and 1 kg of uranium. (a) The table compares the energy released from 1 kg of coal and 1 kg of uranium. (b) Although nuclear fuels are relatively cheap the total cost of generating electricity using nucleus fuels is expensive. Why? (d) May be a subject to the environment of using a concentrated fuel like uranium to generating electricity using nucleus fuels.			You may give your answer as a labelled diagram.	
Although nuclear fuels are relatively cheap the total cost of generating electricity using nucleus is expensive. Why? (c) The table compares the energy released from 1 kg of coal and 1 kg of uranium. (a) The table compares the energy released from 1 kg of coal and 1 kg of uranium. (b) Although nuclear fuels are relatively cheap the total cost of generating electricity using nucleus fuels is expensive. Why? (d) May be a subject to the environment of using a concentrated fuel like uranium to generating electricity using nucleus fuels.				
Although nuclear fuels are relatively cheap the total cost of generating electricity using nucleus is expensive. Why? (c) The table compares the energy released from 1 kg of coal and 1 kg of uranium. (a) The table compares the energy released from 1 kg of coal and 1 kg of uranium. (b) Although nuclear fuels are relatively cheap the total cost of generating electricity using nucleus fuels is expensive. Why? (d) May be a subject to the environment of using a concentrated fuel like uranium to generating electricity using nucleus fuels.				
Although nuclear fuels are relatively cheap the total cost of generating electricity using nucleus is expensive. Why? (c) The table compares the energy released from 1 kg of coal and 1 kg of uranium. (a) The table compares the energy released from 1 kg of coal and 1 kg of uranium. (b) Although nuclear fuels are relatively cheap the total cost of generating electricity using nucleus fuels is expensive. Why? (d) May be a subject to the environment of using a concentrated fuel like uranium to generating electricity using nucleus fuels.				
Although nuclear fuels are relatively cheap the total cost of generating electricity using nucleus is expensive. Why? (c) The table compares the energy released from 1 kg of coal and 1 kg of uranium. (a) The table compares the energy released from 1 kg of coal and 1 kg of uranium. (b) Although nuclear fuels are relatively cheap the total cost of generating electricity using nucleus fuels is expensive. Why? (d) May be a subject to the environment of using a concentrated fuel like uranium to generating electricity using nucleus fuels.				
Although nuclear fuels are relatively cheap the total cost of generating electricity using nucleus is expensive. Why? (c) The table compares the energy released from 1 kg of coal and 1 kg of uranium. (a) The table compares the energy released from 1 kg of coal and 1 kg of uranium. (b) Although nuclear fuels are relatively cheap the total cost of generating electricity using nucleus fuels is expensive. Why? (d) May be a subject to the environment of using a concentrated fuel like uranium to generating electricity using nucleus fuels.				
Although nuclear fuels are relatively cheap the total cost of generating electricity using nucleus is expensive. Why? (c) The table compares the energy released from 1 kg of coal and 1 kg of uranium. (a) The table compares the energy released from 1 kg of coal and 1 kg of uranium. (b) Although nuclear fuels are relatively cheap the total cost of generating electricity using nucleus fuels is expensive. Why? (d) May be a subject to the environment of using a concentrated fuel like uranium to generating electricity using nucleus fuels.				• • • • • • • • • • • • • • • • • • • •
Although nuclear fuels are relatively cheap the total cost of generating electricity using nucleus is expensive. Why? (c) The table compares the energy released from 1 kg of coal and 1 kg of uranium. (a) The table compares the energy released from 1 kg of coal and 1 kg of uranium. (b) Although nuclear fuels are relatively cheap the total cost of generating electricity using nucleus fuels is expensive. Why? (d) May be a subject to the environment of using a concentrated fuel like uranium to generating electricity using nucleus fuels.				
fuels is expensive. Why? (c) The table compares the energy released from 1 kg of coal and 1 kg of uranium. (d) m (e) The table compares the energy released from 1 kg of coal and 1 kg of uranium. (e) The table compares the energy released from 1 kg of coal and 1 kg of uranium. (f) MJ = 1000 000 joules (g) State one benefit to the environment of using a concentrated fuel like uranium to generally a concentrated fuel like uranium				 (1 m
(c) The table compares the energy released from 1 kg of coal and 1 kg of uranium. $ \begin{array}{ c c c c c c c c c c c c c c c c c c c$)	Altho	nough nuclear fuels are relatively cheap the total cost of generating electricity usin	
(c) The table compares the energy released from 1 kg of coal and 1 kg of uranium. $ \begin{array}{ c c c c c c c c c c c c c c c c c c c$)			
The table compares the energy released from 1 kg of coal and 1 kg of uranium. $ \begin{array}{ c c c c c c c c c c c c c c c c c c c$)			
)	fuels	s is expensive. Why?	ng nuc
)	fuels	s is expensive. Why?	ng nuc
Uranium 580 000 MJ State one benefit to the environment of using a concentrated fuel like uranium to generate the state of the state		fuels	s is expensive. Why?	ng nuc
State one benefit to the environment of using a concentrated fuel like uranium to gene		fuels	table compares the energy released from 1 kg of coal and 1 kg of uranium.	ng nuc
		fuels	table compares the energy released from 1 kg of coal and 1 kg of uranium. Coal 29 MJ 1 MJ = 1000 000 joules	ng nuc
electricity rather than using the energy from coal.		fuels	table compares the energy released from 1 kg of coal and 1 kg of uranium. Coal 29 MJ 1 MJ = 1000 000 joules	•••••
		The t	table compares the energy released from 1 kg of coal and 1 kg of uranium. $ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	(1 m
		The t	table compares the energy released from 1 kg of coal and 1 kg of uranium. $ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	(1 m
		The t	table compares the energy released from 1 kg of coal and 1 kg of uranium. $ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	(1 m


5

9 (a) The diagram shows a simple generator. The trace on the oscilloscope shows that the generator produces an alternating current.



and brushes are needed.
(4 marks)

(ii) What should be done to make the generator give the oscilloscope trace drawn below? Assume the controls on the oscilloscope are unchanged.



 $\left(\begin{array}{c} \\ \hline g \end{array}\right)$

TURN OVER FOR THE NEXT QUESTION

(3 marks)


10 (a	a)	Explain how stars produce energy.
		(2 marks)
(b	o)	What evidence is there to suggest that the Sun was formed from the material produced when an earlier star exploded?
		(1 mark)
(0	c)	It is thought that gases from the massive star Cygnus X-1 are spiralling into a black hole.
		Cygnus X-1 Black hole
		(i) Explain what is meant by the term <i>black hole</i> .
		(2 marks)
		(ii) What is produced as the gases from a star spiral into a black hole?
		(1 mark)

(d)	d) The light spectrum from a distant galaxy shows a red shift.		
	What is meant by red shift and what does it tell us about distant galaxies?		
	(2 marks)		
(e)	What name is given to the theory that the Universe started with a massive explosion?		
	(1 mark)		

 $\left(\begin{array}{c} g \end{array} \right)$

TURN OVER FOR THE NEXT QUESTION

11 (a) The diagram shows a 12 volt lighting system. Each lamp has a power of 32 watts.




Write down the equation that links current, potential difference and power.		
(1 mar.	 k)	
(ii) Calculate the input current to the lighting system. Show clearly how you work out you answer.	ur	
	•••	
	•••	
current =(2 mark		
(b) A transformer is used to reduce the 230 V a.c. mains to the 12 V supply required for the lightin system. The transformer has 1150 turns on its primary coil.	ıg	
(i) Write down the equation which links the number of turns of each transformer coil to the voltage across each transformer coil.	ne	
	•••	
(1 mar)		
(ii) Calculate the number of turns on the secondary coil of the transformer. Show clearly ho you work out your answer.	W	
	•••	
	•••	
	•••	
number of turns on the secondary coil =		



(2 marks)

12	(a)	Use the theory of plate tectonics to explain sea floor spreading.
		(2 marks)
	(b)	What evidence is there to support the idea of sea floor spreading?
		(1 mark)

(c) The diagram shows how the speed of a P-wave produced by an earthquake changes as it travels through the Earth.



(i) Write down the equation that links frequency, wavelength and wave speed.

	(1 mark)

(ii) At a depth of 2000 km the P-wave has a wavelength of 24 000 m. Calculate the frequency of the P-wave. Show clearly how you work out your answer.



13	(a)	A bet	ta particle is a high-energy electron.
		(i)	Which part of an atom emits a beta particle?
			(1 mark)
		(ii)	How does the composition of an atom change when it emits a beta particle?
			(1 mark)
	(b)		diagram shows a badge used to monitor radiation. It measures the amount of radiation rker has been exposed to in one month.
			012182
		(i)	What is used inside the badge to detect radiation?
			(1 mark)
		(ii)	What would indicate that the worker has been exposed to a high level of radiation as opposed to a low level of radiation?
		(iii)	(1 mark) Why is it important to monitor the amount of radiation the worker has been exposed to?
			(1 mark)

