

General Certificate of Secondary Education

Physics 4451

PHY3F Unit Physics 3

Mark Scheme

2012 Examination – January Series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the students' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of students' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2012 AQA and its licensors. All rights reserved.

COPYRIGHT

AQA retains the copyright on all its publications. However, registered schools / colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools / colleges to photocopy any material that is acknowledged to a third party even for internal use within the school / college.

Set and published by the Assessment and Qualifications Alliance.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales (company number 3644723) and a registered charity (registered charity number 1073334) Registered address: AQA, Devas Street, Manchester M15 6EX

Marking Guidance for Examiners GCSE Science Papers

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example:

where consequential marking needs to be considered in a calculation;

or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

- 2.1 In a list of acceptable answers where more than one mark is available 'any two from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.
- 2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3 Alternative answers acceptable for a mark are indicated by the use of or. (Different terms in the mark scheme are shown by a /; eg allow smooth / free movement.)

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

| Student | Response | Marks awarded |
|---------|----------|------------------|
| 1 | 4,8 | 0 |
| 2 | green, 5 | 0 |
| 3 | red*, 5 | 1 |
| 4 | red*, 8 | 0 |

Example 2: Name two planets in the solar system. (2 marks)

| Student | Response | Marks awarded |
|---------|---------------------------|---------------|
| 1 | Pluto, Mars, Moon | 1 |
| 2 | Pluto, Sun, Mars, Moon | 0 |

3.2 Use of chemical symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown.

However if the answer is incorrect, mark(s) can be gained by correct substitution / working and this is shown in the 'extra information' column;

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

| question | answers | extra information | mark |
|--------------------------------------|--|-------------------|------|
| 1(a) E View with diagram | reflection shown at both mirrors ray parallel to given ray | judge by eye | 1 |
| 1(b) E | same size | | 1 |
| Total | | | 3 |

| question | answers | extra information | mark |
|---------------|--|---|------|
| 2(a) | Earth | all four in correct order | 2 |
| G | Sun | | |
| | Milky Way | | |
| | Universe | allow 1 mark for Earth <u>and</u> Universe in correct places | |
| 2(b) A | equal to | | 1 |
| | | | |
| 2(c)(i) E | explosion (of a star) | ignore implosion | 1 |
| | | | |
| 2(c)(ii) E | only very massive stars become supernova | | 1 |
| _ | Mira large enough but sun too small | | 1 |
| | | allow 1 mark for each statement Sun too small to give a supernova | |
| | | or | |
| | | Mira large enough to give a supernova | |
| Total | | | 6 |

| question | answers | extra information | mark |
|---------------|---|--|------|
| 3(a)(i) E | 75 | allow 1 mark for correct substitution ie 250 x 0.3 do not credit if subsequent step shown allow 1 mark for an answer 7500 | 2 |
| 3(a)(ii) A | Nm | | 1 |
| 3(b) E | force is (applied) further from the nut / pivot / axis of rotation moment (on wrench) is larger | handle is longer is insufficient do not accept less force needed | 1 |
| Total | | | 5 |

| question | answers | extra information | mark |
|---------------|-------------------|---|------|
| 4(a)(i) G | J and L | both required, either order | 1 |
| 4(a)(ii) G | К | | 1 |
| 4(a)(iii) | L | | 1 |
| E | highest frequency | reason does not score if L not chosen | 1 |
| | | accept most waves (on screen) | |
| | | do not accept frequency above 20 000(Hz) do not accept cannot hear it | |
| 4(b) | transmitter | all three in correct order | 2 |
| G | detector | | |
| | computer | allow 1 mark for one correct | |
| Total | | | 6 |

| question | answers | extra information | mark |
|---------------|------------|--|------|
| 5(a)(i) A | converging | | 1 |
| 5(a)(ii) E | (x) 2 | allow 1 mark for correct substitution ie 10/5 or 20/10 or 2/1 ignore any units | 2 |
| 5(b) A | decreases | | 1 |
| Total | | | 4 |

| question | answers | extra information | mark |
|-------------------------|--|--|------|
| 6(a)(i) E | line 3 divisions left of zero | allow 1 mark for showing line to left of zero | 2 |
| View with diagram | | | |
| 6(a)(ii) | reading decreases | | 1 |
| E | (and goes) to zero | | 1 |
| 6(b) | up and down only | | 1 |
| E | only get a meter reading / induced p.d. when magnet moves up and | reason is dependent on scoring first mark | 1 |
| | down | accept apparatus can only detect up and down | |
| | | do not accept spring / magnet cannot move left to right / sideways / side to side | |
| Total | | | 6 |

| question | answers | extra information | mark |
|----------------|--|---|------|
| 7(a) E | aluminium cannot be magnetised | accept aluminium is not magnetic "it" refers to aluminium | 1 |
| | | do not accept aluminium is not easily magnetised | |
| | | reference to conduction and aluminium negates mark | |
| | | iron can be magnetised is insufficient | |
| 7(b)(i) G | 10 to 50 | either order | 1 |
| 7(b)(ii) E | (data is) anomalous | accept does not fit the pattern it is an error is insufficient | 1 |
| 7(b)(iii) E | 21 | accept 22 do not accept any fraction of a turn ie 20.1 | 1 |
| | secondary p.d. (just) larger than primary p.d. | accept output (just) larger than input/2V | 1 |
| | there must be more turns on the secondary coil than primary coil | do not accept coil for turns | |
| 7(c) | to reduce/step-down the (input) p.d./voltage | mains p.d. is too high is insufficient | 1 |
| | | step-down transformer is insufficient | |
| | | answers in terms of changing/ stepping-up current or fuse blowing or not working with 230 volts are insufficient | |
| | | any mention of step-up negates mark | |
| | | stepping down both voltage/p.d. and current negates mark | |
| Total | | | 6 |

Question 8

| question | answers | extra information | mark |
|----------------|--|---|------|
| 8(a)(i) E | ellipse/elliptical | accept oval/ovoid egg shape is insufficient | 1 |
| 8(a)(ii) E | gravitational attraction (between the Sun and the planet) | allow (force of) gravity allow force due to mass of the planet and mass of the Sun the Sun is insufficient do not accept references to weight | 1 |
| 8(a)(iii) E | arrow drawn from planet pointing towards the Sun | | 1 |
| 8(a)(iv) E | any two from: mass of the planet distance between the planet and Sun mass of the Sun speed of planet | size of the planet insufficient do not accept references to weight accept radius of orbit size of Sun insufficient | 2 |
| 8(b)(i) E | YES equal/close to the actual/true distances | no mark for this, mark is for reason does not score if NO is chosen accept (calculated) data is (generally) accurate | 1 |

Question 8 continues on the next page . . .

PHY3F Question 8 continued . . .

| question | answers | extra information | mark |
|----------------|--|---|------|
| 8(a)(i) E | ellipse/elliptical | accept oval/ovoid egg shape is insufficient | 1 |
| 8(a)(ii) E | gravitational attraction (between the Sun and the planet) | allow (force of) gravity allow force due to mass of the planet and mass of the Sun the Sun is insufficient do not accept references to weight | 1 |
| 8(a)(iii) E | arrow drawn from planet pointing towards the Sun | | 1 |
| 8(a)(iv) E | any two from: mass of the planet distance between the planet and Sun mass of the Sun speed of planet | size of the planet insufficient do not accept references to weight accept radius of orbit size of Sun insufficient | 2 |
| 8(b)(i) E | YES equal/close to the actual/true distances | no mark for this, mark is for reason does not score if NO is chosen accept (calculated) data is (generally) accurate | 1 |

UMS Conversion Calculator

http://web.aqa.org.uk/UMS/index.php